

Pyramid Pharms

Sample: 2601STD0098.0359  
Orange Hemp Gummy

Ingestible, Soft Chew

Sample Received: 01/09/2026; Report Created: 01/12/2026; Testing License: AU-SC-000116  
METRC Manifest: ; METRC Batch: ; METRC Sample:



## Cannabinoids

**28.77 mg/unit**

Active THC

**ND**

Active CBD

**28.77 mg/unit**

Total Cannabinoids

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
(6aR,9R)-d10-THC	1.95	ND	ND
(6aR,9S)-d10-THC	1.95	ND	ND
CBC	1.95	ND	ND
CBCa	1.95	ND	ND
CBD	1.95	ND	ND
CBDa	1.95	ND	ND
CBDV	1.95	ND	ND
CBDVa	1.95	ND	ND
CBG	1.95	ND	ND
CBGa	1.95	ND	ND

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
CBL	1.95	ND	ND
CBN	1.95	ND	ND
CBNa	1.95	ND	ND
CBT	1.95	<1.95	<0.20
Δ8-THC	1.95	ND	ND
Δ9-THC	1.95	28.77	2.95
Exo-THC	1.95	ND	ND
THCa	1.95	ND	ND
THCV	1.95	ND	ND
THCVa	1.95	ND	ND
<b>Total</b>		<b>28.77</b>	<b>2.95</b>

1 Unit = 9.74g  
 Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC + Δ10-THC + exo-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 ND = Non Detect; LOQ = Limit of Quantitation; Cannabinoids for flower and trim reported as received. Method:SOP 2

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Water Activity	<b>Pass</b> Solvents	<b>Pass</b> Metals	<b>Pass</b> Foreign Matter
---------------------------	---------------------------	-------------------------------	-------------------------	-----------------------	-------------------------------

Steadfast Lab  
22018 John R. Rd  
Hazel Park, MI  
(248) 781-4242  
www.steadfastlab.com



*Romi Warra*  
Romi Warra  
Laboratory Director



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Pyramid Pharms



Sample: 2601STD0098.0359  
Orange Hemp Gummy

Ingestible, Soft Chew

Sample Received: 01/09/2026; Report Created: 01/12/2026; Testing License: AU-SC-000116

METRC Manifest: ; METRC Batch: ; METRC Sample:

## Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.05	1.50	ND	Pass
Cadmium	0.05	0.50	ND	Pass
Chromium	0.05	2.00	<0.05	Pass
Copper	0.05		0.51	Tested
Lead	0.05	0.50	<0.05	Pass
Mercury	0.05	3.00	ND	Pass
Nickel	0.05		<0.05	Tested

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 10

## Microbials

Pass

Analyte	Results	Limit	Status
	CFU/g	CFU/g	
Aspergillus	ND	0	Pass
Coliforms	<100	100	Pass
E. Coli	ND	0	Pass
Salmonella	ND	0	Pass
Yeast & Mold	<100	10000	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 7

## Solvents

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane	0.2	5.0	ND	Pass
Acetone	2.0	5000.0	ND	Pass
Acetonitrile	2.0	410.0	ND	Pass
Benzene	0.3	2.0	ND	Pass
Butanes	2.0	5000.0	ND	Pass
Chloroform	1.0	60.0	ND	Pass
Dichloromethane	2.0	600.0	ND	Pass
Ethanol	2.0	5000.0	1166.3	Pass
Ethyl-Acetate	2.0	5000.0	ND	Pass
Ethyl-Ether	2.0	5000.0	ND	Pass
Ethylene Oxide	2.0	50.0	ND	Pass
Heptanes	2.0	5000.0	ND	Pass
Hexanes	2.0	290.0	ND	Pass
Isopropanol	2.0	5000.0	ND	Pass
Methanol	2.0	3000.0	18.3	Pass
Pentanes	2.0	5000.0	ND	Pass
Propane	2.0	5000.0	ND	Pass
Toluene	2.0	890.0	ND	Pass
Trichloroethene	10.0	80.0	ND	Pass
m&p-Xylene	2.0	2170.0	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 8

0.665 aw

Pass

Water Activity

Steadfast Lab  
22018 John R. Rd  
Hazel Park, MI  
(248) 781-4242  
www.steadfastlab.com



*Jane Brewer*  
Jane Brewer  
Microbiologist



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Pyramid Pharms

Sample: 2601STD0098.0359  
Orange Hemp Gummy

Ingestible, Soft Chew



Sample Received: 01/09/2026; Report Created: 01/12/2026; Testing License: AU-SC-000116  
METRC Manifest: ; METRC Batch: ; METRC Sample:

## Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.20	0.50	ND	Pass	Hexythiazox	0.40	1.00	ND	Pass
Acephate	0.10	0.40	ND	Pass	Imazalil	0.10	0.20	ND	Pass
Acequinocyl	1.00	2.00	ND	Pass	Imidacloprid	0.10	0.40	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass	Kresoxim Methyl	0.20	0.40	ND	Pass
Aldicarb	0.20	0.40	ND	Pass	Malathion	0.10	0.20	ND	Pass
Azoxystrobin	0.10	0.20	ND	Pass	Metalaxyl	0.10	0.20	ND	Pass
Bifenazate	0.10	0.20	ND	Pass	Methiocarb	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass	Methomyl	0.20	0.40	ND	Pass
Boscalid	0.20	0.40	ND	Pass	Methyl Parathion	0.10	0.20	ND	Pass
Carbaryl	0.10	0.20	ND	Pass	MGK-264	0.10	0.20	ND	Pass
Carbofuran	0.10	0.20	ND	Pass	Myclobutanil	0.10	0.20	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass	Naled	0.20	0.50	ND	Pass
Chlorfenapyr	0.40	1.00	ND	Pass	Oxamyl	0.40	1.00	ND	Pass
Chlorpyrifos	0.10	0.20	ND	Pass	Pacllobutrazol	0.20	0.40	ND	Pass
Clofentezine	0.10	0.20	ND	Pass	Permethrins	0.10	0.20	ND	Pass
Cyfluthrin	0.40	1.00	ND	Pass	Phosmet	0.10	0.20	ND	Pass
Cypermethrin	0.40	1.00	ND	Pass	Prallethrin	0.10	0.20	ND	Pass
Daminozide	0.40	1.00	ND	Pass	Propiconazole	0.10	0.40	ND	Pass
Diazinon	0.10	0.20	ND	Pass	Propoxur	0.10	0.20	ND	Pass
Dichlorvos	0.40	1.00	ND	Pass	Pyrethrins	0.10	1.00	ND	Pass
Dimethoate	0.10	0.20	ND	Pass	Pyridaben	0.10	0.20	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass	Spinosad	0.10	0.20	ND	Pass
Etofenprox	0.10	0.40	ND	Pass	Spiromesifen	0.10	0.20	ND	Pass
Etoazole	0.10	0.20	ND	Pass	Spirotetramat	0.10	0.20	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass	Spiroxamine	0.20	0.40	ND	Pass
Fenpyroximate	0.20	0.40	ND	Pass	Tebuconazole	0.10	0.40	ND	Pass
Fipronil	0.20	0.40	ND	Pass	Thiacloprid	0.10	0.20	ND	Pass
Flonicamid	0.40	1.00	ND	Pass	Thiamethoxam	0.10	0.20	ND	Pass
Fludioxonil	0.10	0.40	ND	Pass	Trifloxystrobin	0.10	0.20	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Method: SOP 9

Steadfast Lab  
22018 John R. Rd  
Hazel Park, MI  
(248) 781-4242  
www.steadfastlab.com



Dylan Steiner  
Analytical Chemist



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

